

RUGGEDBILT TRAILERS

WALLY-MO TRAILERS



Model: GTH8216 Shown with a 4' Stationary Option

Standard Features	• Heat Shrink Wiring Connection
• 2 5/16" Adjustable Ball Coupler	• Electric Breakaway Kit w/ Charger
• Safety Chains	• DOT Reflective Lighting & Tape
• 1 - Drop Leg Jack (7 Ton -10K) (5 Ton - 7K)	• Variable Rate Control Valve
• 2 - Dexter E-Z Lube Brake Axles (5.2K) Brakes on Both	• Single 3"x16" Cylinder
• 2 - Dexter E-Z Lube Brake Axles (7K) Brakes on Both	• Stake Pockets and Rub Rail
<u>Wheels</u>	• 6" Channel Frame and Wrap Tongue
• 4 - 16" White Spoke Wheels (7 & 6 Ton)	• 3" Channel Crossmembers on 16" Centers
• 4 - 15" White Spoke Wheels (5 Ton)	• 2" Pressure Treated Pine Floor
<u>Tires</u>	• 9"x72" Treadplate Removeable Fenders
• 4 - 235/80R16 Tires (7 & 6 Ton)	• Deburred and Hand Prepped, Acid Washed
• 4 - 225/75R15 Tires (5 Ton)	• Electrostatic, Epoxy Primed and Poly-Urythaned Top Coated

Model	Size	G.V.W.R.	Weight	M.S.R.P.
GT8216	82" x 16'	10,000 Lbs.		\$4,835
GT8218	82" x 18'	10,000 Lbs.		\$5,030
GTM8216	82" x 16'	12,000 Lbs.		\$5,346
GTM8218	82" x 18'	12,000 Lbs.		\$5,547
GTH8216	82" x 16'	14,000 Lbs.		\$5,895
GTH8218	82" x 18'	14,000 Lbs.		\$6,096



Removeable Fenders



4' Stationary (Option)



Low Load Angle Approach

Tilt Trailer Options

Part #	Description	M.S.R.P.
STW2358016	Tire, Spare 235/80/R16 (7 Ton)	\$300
STW2257515	Tire, Spare 225/75/R15 (5 Ton)	\$178
STM	Spare Tire Mount	\$79
RBTEL	Length, Extra Stationary Deck per 2ft	\$195
RBSF	Floor, Diamond Plate 1/8" Thick	\$127
RBBD2516	Coupler, Bulldog Adjustable 2-5/16"	\$210
RBTGN	Gooseneck, 2-5/16 Adjustable	\$1,179

Prices effective 7/01/10

Prices and specifications subject to change without notice

